

THE BEST GOT BETTER

PCC[®]
POLLUTION CONTROL CORP.

NEW TUBS




- **FASTER AND EASIER TO INSTALL**
- **F8 PLUS - NEW METAL FLANGE SEAL**
- **F8 MAX - NEW METAL TUB TO THE MAX**

**LEADERS IN ENVIRONMENTAL CONTAINMENT SINCE 1992
AMERICAN OWNED**

NEW TUBS


No inside bolts = faster installation.



THE BUILT-IN GASKET SEALS
AROUND THE FLANGE



NO SILICONE
REUSABLE GASKET



NUTS
IMBEDDED
IN TUB

SWING HINGE BOLTS CLOSE

TIGHTEN ALL 4 BOLTS
(ALREADY IN PLACE)
ON BOTH SIDES
NO INSIDE BOLTS
SIMPLE FAST INSTALLATION

NEW BOTTOM DRAIN

NOTE TRAPPER REINSTALLATION AFTER WORKOVER RIG



REGREASE AFTER WORKOVER RIG
GASKET IS PREGREASED AT FACTORY. AFTER WORKOVER APPLY A THIN BEAD OF GREASE.

PEC TRAPPER
POLLUTION CONTROL CORP.
F8 PLUS & F8 MAX

US PATENT 8,342,237 / US PATENT PENDING



30 lbs.



41 lbs.


**NEW METAL FLANGE SEAL
NON-CORROSIVE TUB**

**NEW METAL FLANGE SEAL
FULL METAL TUB**


LOST PRODUCTION?

LID REPELS RAIN WATER TO PREVENT SHUTDOWN CAUSING LOST PRODUCTION

**NEW WIPERS KEEP RAIN
OUT AND OIL IN**




SELF-CENTERING LID



REPLACEABLE WIPERS

4 LID SIZES AVAILABLE


3"




7"



11"



PCC TRAPPERS CAN BE CONFIGURED IN TWO DIFFERENT WAYS.



**KILL SWITCH AND
DRAIN VALVE CONFIGURATION**



**TRAPPER CONTAINER
CONFIGURATION**

For Canadian Inquiries Contact:



**WESTERN
OILFIELD
SPECIALTIES CORP.**

Western Oilfield Specialties Corp.
www.westernoilfieldspecialties.com

Phone: (780) 437-7733

Trappers are not pressurized containments.
For colder climates, antifreeze can be added
to prevent freezing of fluid.

TOUGH

PCC POLLUTION CONTROL CORP. **TRAPPER**
F8 PLUS & F8 MAX

OPTIONAL GREASE HOSE ASSEMBLY SAVES TIME.




GREASE THE STUFFING BOX WITHOUT REMOVING THE LID

grease zerks



OLD STYLE ORIGINAL TRAPPER UTILIZES A GASKET WRAP TO SEAL
US Patents #8,127,838; 8,342,237; 8,365,817
Canadian Patent #2,742,466




3" LID HEIGHT



Big Stuff Dual Pack
w/ Check Valve



Big Stuff Dual Pack



Adapter Plate

Weir Seaboard 5k



Adapter Plate

Harbison Fischer
Quik-Seal/Opal Pro-Align

7" LID HEIGHT



Dual or Double Pack



Big Stuff Dual Pack
w/ Lubricator



Adapter Plate

Weir Seaboard 5k
w/ Lubricator



Adapter Plate

Harbison Fischer
w/ Lubricator

11" LID HEIGHT



Dual or Double Pack
w/ Lubricator



Adapter Plate

Skinner Tee Base
w/ Lubricator



Pollution Control Stuffing Box




Adapter Plate

Skinner Cross Twin




TRAPPER F8 PLUS & F8 MAX




Adapter Plate

Ratigan




Adapter Plate

Big Stuff Single Pack



Adapter Plate

Iron Mule



Adapter Plate

Jack Box
(Call for info)




Adapter Plate

Ratigan
w/ Lubricator



Adapter Plate

Big Stuff Single Pack
w/ Lubricator



Adapter Plate

Iron Mule
w/ Lubricator



Adapter Plate

Skinner Tee Base

14" LID HEIGHT



Pollution Control Stuffing Box
w/ Lubricator



Adapter Plate

Skinner Cross Twin
w/ Lubricator

7" LID HEIGHT



Adapter Plate

Single pack
Mounts to Pumping Tee
(Call for info)

PCC[®] **400**
POLLUTION CONTROL CORP.

Pollution control cone

Designed to withstand the elements
Constructed of long lasting galvanized metal
Helps eliminate production down time
Will reduce downtime repairs on flame arrestors
caused by nesting problems.

When installed on units with a low pressure burner,
test results have shown a 25% decrease in fuel
consumption.

Save up to 90% reductions in fire outages

Sizes: 4", 6", 8", 10", 12", 14", 16", 18", 20", and 24".
For Custom Sizes call for Quote.



PCC[®] **404**
POLLUTION CONTROL CORP.

Chemical Drum Container

170 Gallon Capacity
30"W x 58"L x 46"H



CONTAINMENT TRAYS



2 Drum Tray
26"W x 51"L x 6 1/2"H



4 Drum Tray
51 1/2"W x 51 1/2"L x 7"H



404 Shallow
30"W x 60"L x 12"H
90 gallon capacity



Spill Utility Tray
24"x48" x 4 3/4"
24 gallon capacity

De-Hy Unit



34 x 35
137 gallon capacity
Fiberglass Tank with lid and 2" outlet


TOUGH

CONTAINMENT PRODUCTS



COBRA II

- A. Vent - 1"
- B. Outlet - 3"
- C. Inlet - 3"
- D. Dipstick - 1" collar
- E. Collar - 1" for float
- F. 2" Threaded inlet (optional)
- G. Quality UV resistant fiberglass




125 Gallon double containment sump



COBRA III

- A. Vent - 1"
- B. Outlet - 3"
- C. Inlet - 3"
- D. Dipstick - 1" collar
- E. Collar - 1" for float
- F. 2" Threaded inlet (optional)
- G. Quality UV resistant fiberglass



330 & 390 PIG CATCHERS

330
Hinged lid
24 gallon capacity
24W x 28H



Double walled to bury for anchoring
Expanded metal screen catches pig



390
Swivel lid
90 gallon capacity
32w x 56h



PCC[®] 300

POLLUTION CONTROL CORP.
U.S. Patents 9,151,428 - 7,921,884 - 7,673,658 - 5,647,412
Canadian Patent 2,682,171

3 Gal.



PCC[®] 301

POLLUTION CONTROL CORP.
U.S. Patents 9,151,428 - 7,921,884 - 7,673,658 - 5,647,412
Canadian Patent 2,682,171

6 Gal.



PCC[®] 302

POLLUTION CONTROL CORP.
U.S. Patents 9,151,428 - 7,921,884 - 7,673,658 - 5,647,412
Canadian Patent 2,682,171

9 Gal.



PCC[®] 303

POLLUTION CONTROL CORP.
U.S. Patents 9,151,428 - 7,921,884 - 7,673,658 - 5,647,412
Canadian Patent 2,682,171

29 Gal.




Pollution Control Corp. has been providing Oilfield and Industrial Containment Systems since 1992. PCC has a diverse product line of Load Line Containment Systems, ranging from 3 to 29 gallon capacity. The containers are manufactured with UV resistant polyethylene and are available in three colors.

PCC Loadline Containers are used for the loading and unloading of crude oil and saltwater. They are used on atmospheric tanks at low pressures only.





U.S. Patents
9,151,428 - 7,921,884 - 7,673,658 - 5,647,412
Canadian Patent
2,682,171

PCC[®] 301

POLLUTION CONTROL CORP.



Load Line Containment - Technical Specifications

Specifications	300	301	302	303
Distance from the ground to the bottom of a 3 inch collar	 4.75"	 7.5"	 7"	 17"
Capacity (Gal.)	3	6	9	29
Weight (lbs)	20	25	35	31
Height (in.)	13.5	16.5	19.5	30
Width (in.)	19.25	21.5	26	26
Front to Back (in.)	18.5	21.5	27.5	27.5
Sidewinder	Standard	Standard	Optional	Optional

*UPS charges are based on box size versus actual weight.

TOUGH

LOAD LINE CONTAINMENT

Quality UV resistant polyethylene.
Eliminates expensive clean up at loading and unloading areas.
Sidewinder automatically empties unit while truck is loading product.
Steel collar and saddle gives the 300, 301 and 302 the strength of steel and the non corrosiveness of polyethelene.
Ribs have been added to the back of the units to double the strength of the steel saddle.
Units can be locked for security.
Valves can be locked inside the 302 and 303 units.
Stainless steel bolts and hinges.
Unit is designed to handle oil and saltwater.
All units come in 2", 3" or 4" collar sizes. Carbon steel is standard and stainless steel is available on request.
PCC 303 has a 4-1/2" hole to accommodate all pipes sizes.
Taller lids available on the 302 and 303 to accommodate gate valves.

PCC LOAD LINE CONTAINERS are available in yellow, tan or black



Sidewinder Assembly
Standard - 300 & 301
Optional - 302 & 303



PCC 302 & 303 units can be locked with valves inside.
PCC 302 & 303 have optional sidewinder installed after the valve.
Automatically empty your Pollution Control container with the sidewinder, while loading product.



PCC Load Line Containers help with compliance of Federal Regulations for spills both inside and outside containment walls


SAVES SPILLS, MONEY, CLEAN UPS,
AND FINES



**CONTAINMENT
LEADERS**

OILFIELD

TOUGH



pollutioncontrolcorp.com
Toll Free: 800-966-1265